




4U Rackmount Chassis for RAID storage with (10) 5.25" drive bays, (2) high speed ball-bearing fans and optional mini-redundant PSU



Introduction


RCK-410M is specifically designed for storage server application. Despite of its short depth, it provides a high capacity of ten 5.25" mobile racks applicable drive bays to contain large amount of data. Appropriate temperature within **RCK-410M** is secured by two 80 mm high speed ball-bearing fans. Mini-redundant PS/2 size power supply is applicable to ensure minimum down time of the system. **RCK-410M** is very suitable for RAID application for small to large companies.

Features

- Standard 4U 19" RAID storage chassis
- Heavy Duty Steel with Ni Plating
- Ten 5.25" HDD drive bays (Mobile rack applicable)
- Supports mini-redundant or PS/2 power supply
- Two 80mm high speed ball-bearing fans



Mechanical Drawing



Construction

- Heavy-Duty Steel with Ni Plating

Color

- Black

Board Support

- ATX motherboard

Drive Bays

- (10) 5.25 external drive bays (optional Mobile rack applicable)

Expansion

- Up to (7) expansion slots

Power Supply

- Mini-redundant or PS/2 power supply

Cooling System

- (2) 80mm high speed ball-bearing fans

Ports

- (2) USB2.0 ports on front panel

Switches

- On/Off Switch and Reset Switch

Indicators

- Power ON/OFF LED
- (2) Temperature Sensor LED
- Fan condition
- (6) HDD LED

Dimensions

- 427 (W) x 480 (D) x 176.8 (H) mm
- 16.8 (W) x 18.9 (D) x 7 (H) inches

Operating Temperature

- 0~55 °C

Gross Weight

- 13.4kg/29.5lbs

Ordering Information

RCK-410M	4U chassis for data storage server with (10) drive bays
RCK-410M-300W	RCK-410M with 300W mini-redundant power supply
RCK-410M-400W	RCK-410M with 400W mini-redundant power supply
RCK-410M-R350W	RCK-410M with 350W mini-redundant power supply
RCK-410M-R400W	RCK-410M with 400W mini-redundant power supply